CZMEDITECH

TÜVRhein.and

CE

ISO:13485



2025

SPORTS MEDICINE

PRODUCT CATALOG

www.czmeditech.com

CZMEDITECH

Changzhou Meditech Technology Co., Ltd.

Address: 9th. Floor, Inno Laser Building, Science & Education Town, Wujin District, Changzhou City, Jiangsu Province, China. PC: 213164

Website: www.czmeditech.com

Tel/Fax: +86-519-85855955

CZMEDITECH

Meniscus Repair System

Name	REF	Specification	Picture
Meniscus Repair System	151260000S	Curved 20°	
Meniscus Repair System	152910270S	Curved 27°	

Push Knot Cutter(Disposable)

Name	REF	Specification	Picture
Disposable Push Knot Cutter	114300500S	Sterilized Package	


Double Arm Meniscus Repair Needles




Name	REF	Specification	Picture
Double Arm Meniscus Repair Needles	S68.005	2-0#×950mm, 0.8×300 B/W	

Non-absorbable Suture

Name	REF	Specification	Picture
Non-absorbable Suture Round	153400950S	2-0#x950mm B	






Knotless Button

Name	REF	Specification	Picture
Fixed Fixation Knotless Button	150110010S	Loop length 10mm, 3.4×12×2.0mm, 5# Traction Line	
	N701.140	Loop length 15mm, 4.0×1.5×12mm, 5# Traction Line	
	N701.141	Loop length 20mm, 4.0×1.5×12mm, 5# Traction Line	
	N701.142	Loop length 25mm, 4.0×1.5×12mm, 5# Traction Line	
	150110030S	Loop length 30mm, 3.4×12×2.0mm, 5# Traction Line	
	150110035S	Loop length 35mm, 3.4×12×2.0mm, 5# Traction Line	
	150110040S	Loop length 40mm, 3.4×12×2.0mm, 5# Traction Line	
	150110045S	Loop length 45mm, 3.4×12×2.0mm, 5# Traction Line	
	150110050S	Loop length 50mm, 3.4×12×2.0mm, 5# Traction Line	
	150110055S	Loop length 55mm, 3.4×12×2.0mm, 5# Traction Line	
	150110060S	Loop length 60mm, 3.4×12×2.0mm, 5# Traction Line	

Name	REF	Specification	Picture
Adjustable Fixation Knotless Button	S68.008	4.0×1.5×12mm, 4 holes	
Adjustable Fixation Knotless Button	157130500S	Loop length 50mm, 3.4×13×1.5	
Knee Button	152000110S	11/4mm	
Knee Button	152000140S	14/7mm	
Knee Button	152000200S	20/9mm	
Knee Button	N306.000	12×8mm	
Knee Adjustable Knot	152000400S	40mm	
Double Plate Adjustable Fixation Button(ACL)	T5616	4.4x12.2mm (Loop length 80mm) 1.5mm thickness Plate	
Tibiofibular Joint Button	152040550S	55mm & 3.4×13×1.5mm	
Clavical Knotless Button	157150500S	10mm×5mm×5mm	
Clavical Knotless Button	152490550S	55mm×10mm	

Name	REF	Specification	Picture
Locking Plate Knotless Button	157160500S	50mm	
Small Joint Button	152510550S	55mm & 2.6×8×1.2mm	
Button	N308.000	10mm×8mm	
AC Titanium Plate	N010301	Ø10.0	
Round Fibular Titanium Plate	N010302	Ø6.5	
Round Fibular Titanium Plate	N010302-1	Ø10.0	
Butterfly Titanium Plate	N309.000	10mm×14mm	
Long Titanium Plate	N010401	3.5×12.2mm 2 holes	
Suture Tap	Q653.0011	2.0x1000mm B/W	
Suture Tap	Q652.0011	2.0x1000mm BL/W	




Suture Anchor System

Name	REF	Specification	Picture
DoubleFix PEEK Anchor	153100450S	4.5×20mm,1/2#×950mm, 1/2#×500mm	
DoubleFix PEEK Anchor	153101550S	5.5×20mm,2/2#×950mm, 1/2#×500mm	
All Suture Anchor	153040270S	2.9mm 2/2#×1110mm B/W	
All Suture Anchor	T111.102	1.3mm,1/2# BW	
All Suture Anchor	T211.304	1.8mm,1/ 2# W,1/2# BW	
All Suture Anchor	T311.104	2.6mm,1/ 2# W, 1/2# BW	
All Suture Anchor	151130250S	2.8mm 2/2#×950mm B/W	



Suture Anchor System

Name	REF	Specification	Picture
SwirlFix PEEK Anchor	S101.206	4.5×19mm 2/2#×950mm	
SwirlFix PEEK Anchor	152380550S	5.5×19mm 2/2#×950mm	
SwirlFix PEEK Anchor Hollow	157340550S	5.5×15mm 3/2#×950mm	
TowerFix PEEK Anchor	152620240S	2.4×9mm 1/2#×750mm	
TowerFix PEEK Anchor	152190240S	2.4×12mm 1/2#×1220mm	
TowerFix PEEK Anchor	152200300S	3.0×11mm 2/2#×1220mm	
TowerFix PEEK Anchor	152210300S	3.0×12mm 1/2#×1220mm	




Suture Anchor System

Name	REF	Specification	Picture
TowerFix PEEK Anchor	152190300S	3.0×13mm,1/2#×670mm	
SwirlLock PEEK Anchor	152440350S	3.5×16mm,1/2#×950mm	
SwirlLock PEEK Anchor	152070500S	5.0×19mm,1/2#×950mm B	
SwirlLock PEEK Anchor	152450500S	5.0×19mm, 2/2#×600mm, B Tape	
SwirlLock PEEK Anchor	152460500S	5.0×19mm, 2/2#×650mm, W Tape	
SwirlLock PEEK Anchor	152070550S	5.5×19mm, 1/2#×950mm B	
SwirlLock PEEK Anchor	152450550S	5.5×19mm, 2/2#×600mm B Tape	


Suture Anchor System

Name	REF	Specification	Picture
SwirlLock PEEK Anchor	152460550S	5.5×19mm, 2/2#×650mm, W Tape	
PEEK Suture Anchor	S204.208	8.0x19.5mm No Suture, 1/2#x950mm polyline W	
PEEK Suture Anchor	S303.102	3.0x12.7mm, 1/2#x650mm BL/W, 1/0# x1000mm polyline W	
PEEK Suture Anchor	S402.108	3.5×19.5mm No Suture	
TowerLock PEEK Anchor	152060300S	3.0×13mm 1/2#×950mm	
TowerLock PEEK Anchor	152060450S	4.5×25mm 1/2#×950mm	
Tendon Ligament Fixation Screw	152590300S	3.0×10mm 1/2#×600mm	



Suture Anchor System

Name	REF	Specification	Picture
Tendon Ligament Fixation Screw	152600400S	4.0×12mm 1/2#×600mm	
Tendon Ligament Fixation Screw	152480500S	5.0×15mm 1/2#×660mm	
Tendon Ligament Fixation Screw	152480550S	5.5×15mm 1/2#×660mm	
Tendon Ligament Fixation Screw	152610600S	6×15mm 1/2#×660mm	
HollowFix PEEK Anchor	S102.206	4.5×19.5mm, 1/2#×950mm BL/W, 1/2#×950mm	
HollowFix PEEK Anchor	S102.106	5.5×19.5mm, 1/2#×950mm BL/W, 1/2#×950mm B/W	
Metal Suture Anchor	M201.452	2.0×6.5mm,1/2-0#×1200mm W,1/ 2-0#*1200mm B/W	


Suture Anchor System

Name	REF	Specification	Picture
Metal Suture Anchor	M203.452	2.8×12mm, 1/ 2-0#*1000mm W , 1/ 2-0#×1000mm B/W	
Metal Suture Anchor (High and Low Double Threads)	151613513S	3.5×13mm 2/2#×950mm	
Metal Suture Anchor (High and Low Double Threads)	150974515S	4.5×15mm 2/2#×950mm	
Metal Suture Anchor (High and Low Double Threads)	151625316S	5.3×16mm 2/2#×950mm	
Metal Suture Anchor (Full Threads)	157010011S	4.5×19.5mm 2/2#×950mm	
Metal Suture Anchor (Full Threads)	157010012S	5.3×19.5mm 2/2#×950mm	
Metal Suture Anchor (Full Threads)	157010013S	6.5×19.5mm 2/2#×950mm	

Suture Anchor System

Name	REF	Specification	Picture
Metal Suture Anchor (Thin and Close Full Threads)	151173014S	3.0×14mm 1/2#×950mm	
Metal Suture Anchor (Thin and Close Full Threads)	151355317S	5.3×17mm 2/2#×950mm	
Metal Suture Anchor (Thin and Close Full Threads)	151376517S	6.5×17mm 2/2#×950mm	
Metal Suture Anchor (Deep Threads)	157010015S	3.5×13mm 2/2#×950mm	
Metal Suture Anchor (Deep Threads)	157010017S	5.0×13mm 2/2#×950mm	
Metal Suture Anchor (High and Low Double Threads with Pin)	153750200S	2.0×7mm, 2/2-0#×750mm, 3.5mm Pin	
Metal Suture Anchor (High and Low Double Threads with Pin)	153750280S	2.8×9mm, 1/2#×950mm, 3.5mm Pin	

Suture Anchor System

Name	REF	Specification	Picture
Metal Suture Anchor (High and Low Double Threads with Pin)	153750350S	3.5×13mm, 2/2#×950mm，4.0mm Pin	
Metal Suture Anchor (High and Low Double Threads with Pin)	153750450S	4.5×15mm, 2/2#×950mm, 4.0mm Pin	
Metal Suture Anchor (High and Low Double Threads with Pin)	153750530S	5.3×16mm, 2/2#×950mm, 4.0mm Pin	
Metal Suture Anchor with Wings	S68.001	1.3×3.6 w/ 1* #3-0 White 920mm DSM suture(1/2 circle: Ø0.8*14mm Needle) w/1.3 Limited Drill Bit	
Metal Suture Anchor with Wings	S68.002	1.8×5.4 w/ 1* #2-0 White 920mm DSM suture(1/2 circle: Ø0.8*12mm Needle) w/1.8 Limited Drill Bit	
Metal Suture Anchor with Wings	S68.003	2.4×9.6 w/ 1* #2 White 1000mm DSM suture(1/2 circle: Ø1.1*17mm Needle) w/2.4 Limited Drill Bit	
Metal Suture Anchor with Wings	S68.004	2.8×11 w/ 1* #2 White and 1* #2 White & blue 1000mm DSM suture(1/2 circle: Ø1.1*17mm Needle) w/2.8 Limited Drill Bit	


Interference Screw System

Name	REF	Specification	Picture
Bioabsorbable Interference Screw	S68.022	4*10mm	
	S68.023	4*15mm	
	S68.024	4*20mm	
	S68.025	4*25mm	
	S68.026	5*12mm	
	S68.027	5*20mm	
	S68.028	5*25mm	
	S68.029	5*30mm	
	S68.009	6*20mm	
	S68.010	6*25mm	
	S68.011	6*30mm	
	S68.030	7*20mm	
	S68.012	7*25mm	
	S68.013	7*30mm	

Interference Screw System

Name	REF	Specification	Picture
Bioabsorbable Interference Screw	S68.031	8*20mm	
	S68.014	8*25mm	
	S68.015	8*30mm	
	S68.032	9*20mm	
	S68.016	9*25mm	
	S68.017	9*30mm	
	S68.033	10*25mm	
	S68.018	10*30mm	
	S68.034	10*35mm	
	S68.035	11*25mm	
	S68.036	11*30mm	
	S68.037	11*35mm	
	S68.038	12*30mm	
	S68.039	12*35mm	


Interference Screw System

Name	REF	Specification	Picture
PEEK Interference Screw	P5620	6×20mm	
	P5625	6×25mm	
	P5725	7×25mm	
	P5730	7×30mm	
	P5825	8×25mm	
	P5830	8×30mm	
	P5925	9×25mm	
	P5930	9×30mm	
	P5025	10×25mm	
Scabbard for PEEK Interference Screw	P5632	6×32.5mm	
	P5832	7/8×32.5mm	
	P5132	9/10×32.5mm	
PEEK Interference Screw with Scabbard	R001.001	Sheath 7*25(Screw 6*23)	
	R002.001	Sheath 8*30(Screw 7*28)	


Interference Screw System

Name	REF	Specification	Picture
PEEK Interference Screw with Scabbard	R003.001	Sheath 9*30(Screw 8*28)	
	R004.001	Sheath 10*30(Screw 9*28)	
Ligament Staple (Cobalt-Chromium-Molybdenum)	ST0620	6×20mm	


Non-absorbable Suture System

Name	REF	Specification	Picture
Non-absorbable Suture Round	153540950S	2#×950mm,B	
	Q161.0011	2#×950mm,W	
	Q163.0011	2#×950mm,B/W	
	153180950S	2#×950mm,BL/W	
	153190950S	2#×950mm,B/BL	
	153400950S	2-0#×950mm,B	
	Q131.0011	2-0# 950mm W	
	Q133.0011	2-0# 950mm B/W	
	Q181.0011	5# 1000mm White	
	Q183.0011	5# 1000mm White & Blue	
Non-absorbable Suture with Needle	153840950S	2#×950mm BL/W, 1/2-1.1×24mm Needle	
	154370950S	5#×950mm B, 1/2-1.2×28mm Needle	
	S68.006	2#×950mm B/W, 1/2-1.1×17mm Needle	
	153830500S	3-0#×500mm B, 3/8-0.5×14mm Needle	


Non-absorbable Suture System

Name	REF	Specification	Picture
Non-absorbable Suture Flat	153220950S	1.5mm×950mm, B	
	153230950S	1.5mm×950mm, B/W	
	153240950S	1.3mm×950mm, B	
	153250950S	1.3mm×950mm, B/W	
	Q653.0011	2.0x1000mm B/W	
	Q652.0011	2.0x1000mm BL/W	
Non-absorbable Suture Round Flat	153260950S	2.0mm×950mm, B/W	
	153270950S	1.0mm×950mm, B	
	153280950S	2.0mm×950mm, B/W	
	153290950S	1.0mm×950mm, B/W	
	Q613.0006	2.0mmx750mm B/W	
Double Arm Meniscus Repair Needles	153210950S	2-0#×950mm, 0.8×300mm B/W	
Tendon Braid	153300500S	2#×500mm, 10×76mm Needle B/W	

Non-absorbable Suture System

Name	REF	Specification	Picture
Loop Suture	Q273.0002	2#×950mm, B/W	
	Q271.0002	2#x950mm, W	
	153320950S	2#×950mm, BL/W	
Biological Ceramic Artificial Bone	BC.Gr.0001	d(mm): 0.2～1.0 w(g): 0.25	
	BC.Gr.0002	d(mm): 0.2～1.0 w(g): 0.5	
	BC.Gr.0003	d(mm): 0.2～1.0 w(g): 1	
	BC.Gr.0004	d(mm): 0.2～1.0 w(g): 2	
	BC.Gr.0005	d(mm): 0.2～1.0 w(g): 5	
	BC.Gr.0006	d(mm): 1.0～2.8 w(g): 0.5	
	BC.Gr.0007	d(mm): 1.0～2.8 w(g): 1	
	BC.Gr.0008	d(mm): 1.0～2.8 w(g): 2	
	BC.Gr.0009	d(mm): 1.0～2.8 w(g): 5	
	BC.Gr.0010	d(mm): 2.8～5.6 w(g): 1	
	BC.Gr.0011	d(mm): 2.8～5.6 w(g): 2	

Non-absorbable Suture System

Name	REF	Specification	Picture
Graft Preparation System	K1001	WB-1000×50L	
	K1002	WB-1000×40S	